



PRODUCT GUIDE 2017

Brisbane Office

Unit 1, Compton Court
67-77 Compton Road
Underwood QLD 4119
T: 07 3290 1466 F: 07 3290 1078
E: sales@allfixfasteners.com.au

Gold Coast Office

Unit 1, Mudgeeraba Industrial Park,
1 Mudgeeraba Road
Mudgeeraba QLD 4213
T: 07 5559 2756 F: 07 5559 1062
E: salesgc@allfixfasteners.com.au

Toowoomba Office

1 Tews Court
Wilsonton QLD 4350
T: 07 4633 3922 F: 07 4633 3933
E: salestb@allfixfasteners.com.au

Web: www.allfixfasteners.com.au

GREAT SERVICE, QUALITY PRODUCTS ALL AT THE RIGHT PRICE

RIVETS



SECTION

RIVETS



ALUMINIUM / STEEL DOME HEAD

<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CASE3-2	2.4 (3/32)	0.5—3.2	2.5mm	6.4mm	4.8mm	1000
CASE3-3	2.4 (3/32)	3.2—4.8	2.5mm	7.9mm	4.8mm	1000
CASE4-1	3.2 (1/8)	0.5—1.6	3.3mm	5.4mm	6.4mm	1000
CASE4-2	3.2 (1/8)	1.6—3.2	3.3mm	7.0mm	6.4mm	1000
CASE4-3	3.2 (1/8)	3.2—4.8	3.3mm	8.6mm	6.4mm	1000
CASE4-4	3.2 (1/8)	4.8—6.4	3.3mm	10.2mm	6.4mm	1000
CASE4-5	3.2 (1/8)	6.4—7.9	3.3mm	11.7mm	6.4mm	1000
CASE4-6	3.2 (1/8)	7.9—9.5	3.3mm	13.3mm	6.4mm	1000
CASE4-8	3.2 (1/8)	9.5—12.7	3.3mm	16.5mm	6.4mm	1000
CASE4-10	3.2 (1/8)	12.7—15.9	3.3mm	19.7mm	6.4mm	1000
CASE4-12	3.2 (1/8)	15.9—19.1	3.3mm	22.8mm	6.4mm	500
CASE5-2	4.0 (5/32)	0.5—3.2	4.1mm	7.6mm	7.9mm	1000
CASE5-3	4.0 (5/32)	3.2—4.8	4.1mm	9.2mm	7.9mm	1000
CASE5-4	4.0 (5/32)	4.8—6.4	4.1mm	10.8mm	7.9mm	1000
CASE5-5	4.0 (5/32)	6.4—7.9	4.1mm	12.3mm	7.9mm	500
CASE5-6	4.0 (5/32)	7.9—9.5	4.1mm	14.0mm	7.9mm	500
CASE5-8	4.0 (5/32)	9.5—12.7	4.1mm	17.1mm	7.9mm	500
CASE6-2	4.8 (3/16)	0.5—3.2	4.9mm	8.3mm	9.5mm	500
CASE6-3	4.8 (3/16)	3.2—4.8	4.9mm	9.8mm	9.5mm	500
CASE6-4	4.8 (3/16)	4.8—6.4	4.9mm	11.4mm	9.5mm	500
CASE6-5	4.8 (3/16)	6.4—7.9	4.9mm	13.0mm	9.5mm	500
CASE6-6	4.8 (3/16)	7.9—9.5	4.9mm	14.6mm	9.5mm	500
CASE6-8	4.8 (3/16)	9.5—12.7	4.9mm	17.8mm	9.5mm	500
CASE6-10	4.8 (3/16)	12.7—15.9	4.9mm	21.0mm	9.5mm	500
CASE6-12	4.8 (3/16)	15.9—19.1	4.9mm	24.1mm	9.5mm	250
CASE6-14	4.8 (3/16)	19.1—22.2	4.9mm	27.3mm	9.5mm	250
CASE6-16	4.8 (3/16)	22.2—25.4	4.9mm	30.5mm	9.5mm	250
CASE6-20	4.8 (3/16)	25.4—31.8	4.9mm	36.8mm	9.5mm	250
CASE8-2	6.4 (1/4)	0.5—3.2	6.5mm	9.5mm	12.7mm	250
CASE8-4	6.4 (1/4)	3.2—6.4	6.5mm	12.7mm	12.7mm	250
CASE8-6	6.4 (1/4)	6.4—9.5	6.5mm	15.9mm	12.7mm	250
CASE8-8	6.4 (1/4)	9.5—12.7	6.5mm	19.1mm	12.7mm	250
CASE8-10	6.4 (1/4)	12.7—15.9	6.5mm	22.2mm	12.7mm	250
CASE8-12	6.4 (1/4)	15.9—19.1	6.5mm	25.4mm	12.7mm	250
CASE8-14	6.4 (1/4)	19.1—22.2	6.5mm	28.6mm	12.7mm	200
CASE8-16	6.4 (1/4)	22.2—25.4	6.5mm	31.8mm	12.7mm	200

ALUMINIUM / STEEL CSK HEAD



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CASK4-2	3.2 (1/8)	0.5—3.2	3.3mm	7.8mm	5.6mm	1000
CASK4-3	3.2 (1/8)	3.2—4.8	3.3mm	9.4mm	5.6mm	1000
CASK4-4	3.2 (1/8)	4.8—6.4	3.3mm	11.0mm	5.6mm	1000
CASK4-5	3.2 (1/8)	6.4—7.9	3.3mm	12.5mm	5.6mm	1000
CASK4-6	3.2 (1/8)	7.9—9.5	3.3mm	14.1mm	5.6mm	1000
CASK5-2	4.0 (5/32)	0.5—3.2	4.1mm	8.7mm	7.1mm	1000
CASK5-3	4.0 (5/32)	3.2—4.8	4.1mm	10.2mm	7.1mm	1000
CASK5-4	4.0 (5/32)	4.8—6.4	4.1mm	11.8mm	7.1mm	1000
CASK5-5	4.0 (5/32)	6.4—7.9	4.1mm	13.3mm	7.1mm	500
CASK5-6	4.0 (5/32)	7.9—9.5	4.1mm	15.0mm	7.1mm	500
CASK6-2	4.8 (3/16)	0.5—3.2	4.9mm	9.6mm	8.8mm	500
CASK6-3	4.8 (3/16)	3.2—4.8	4.9mm	11.1mm	8.8mm	500
CASK6-4	4.8 (3/16)	4.8—6.4	4.9mm	12.7mm	8.8mm	500
CASK6-5	4.8 (3/16)	6.4—7.9	4.9mm	15.9mm	8.8mm	500
CASK6-8	4.8 (3/16)	9.5—12.7	4.9mm	19.1mm	8.8mm	500
CASK6-10	4.8 (3/16)	12.7—15.9	4.9mm	22.3mm	8.8mm	500
CASK6-12	4.8 (3/16)	15.9—19.1	4.9mm	25.4mm	8.8mm	250

RIVETS

ALUMINIUM / STEEL DOME HEAD LARGE FLANGE



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CASL4-2	3.2 (1/8)	1.6—3.2	3.3mm	7.0mm	9.5mm	1000
CASL4-4	3.2 (1/8)	4.8—6.4	3.3mm	10.2mm	9.5mm	1000
CASL4-6	3.2 (1/8)	7.9—9.5	3.3mm	13.3mm	9.5mm	1000
CASL4-8	3.2 (1/8)	9.5—12.7	3.3mm	16.5mm	9.5mm	1000
CASL5-4	4.0 (5/32)	4.8—6.4	4.1mm	10.8mm	12.0mm	1000
CASL5-6	4.0 (5/32)	7.9—9.5	4.1mm	14.0mm	12.0mm	500
CASL6-3	4.8 (3/16)	3.2—4.8	4.9mm	9.8mm	16.0mm	500
CASL6-4	4.8 (3/16)	4.8—6.4	4.9mm	11.4mm	16.0mm	500
CASL6-6	4.8 (3/16)	7.9—9.5	4.9mm	14.6mm	16.0mm	500
CASL6-8	4.8 (3/16)	9.5—12.7	4.9mm	17.8mm	16.0mm	500
CASL6-10	4.8 (3/16)	12.7—15.9	4.9mm	21.0mm	16.0mm	500
CASL6-12	4.8 (3/16)	15.9—19.1	4.9mm	24.1mm	16.0mm	250
CASL6-14	4.8 (3/16)	19.1—22.2	4.9mm	27.3mm	16.0mm	250
CASL6-16	4.8 (3/16)	22.2—25.4	4.9mm	30.5mm	16.0mm	250

ALUMINIUM / STEEL DOME HEAD PEEL



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CASP6-4	4.8 (3/16)	4.8—6.4	4.9mm	13.6mm	9.5mm	500
CASP6-5	4.8 (3/16)	6.4—7.9	4.9mm	15.1mm	9.5mm	500
CASP6-6	4.8 (3/16)	7.9—9.5	4.9mm	16.7mm	9.5mm	500
CASP6-8	4.8 (3/16)	9.5—12.7	4.9mm	19.9mm	9.5mm	500
CASP6-10	4.8 (3/16)	12.7—15.9	4.9mm	23.1mm	9.5mm	500
CASP6-12	4.8 (3/16)	15.9—19.1	4.9mm	26.3mm	9.5mm	250

ALUMINIUM / ALUMINIUM DOME HEAD

<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CAA4-2	3.2 (1/8)	1.6—3.2	3.3mm	7.0mm	6.4mm	1000
CAA4-3	3.2 (1/8)	3.2—4.8	3.3mm	8.6mm	6.4mm	1000
CAA4-4	3.2 (1/8)	4.8—6.4	3.3mm	10.2mm	6.4mm	1000
CAA4-5	3.2 (1/8)	6.4—7.9	3.3mm	11.7mm	6.4mm	1000
CAA4-6	3.2 (1/8)	7.9—9.5	3.3mm	13.3mm	6.4mm	1000
CAA4-8	3.2 (1/8)	9.5—12.7	3.3mm	16.5mm	6.4mm	1000
CAA4-10	3.2 (1/8)	12.7—15.9	3.3mm	19.7mm	6.4mm	1000
CAA5-2	4.0 (5/32)	0.5—3.2	4.1mm	7.6mm	7.9mm	1000
CAA5-4	4.0 (5/32)	4.8—6.4	4.1mm	10.8mm	7.9mm	1000
CAA5-6	4.0 (5/32)	6.4—9.5	4.1mm	14.0mm	7.9mm	500
CAA6-2	4.8 (3/16)	0.5—3.2	4.9mm	8.3mm	9.5mm	500
CAA6-4	4.8 (3/16)	4.8—6.4	4.9mm	11.4mm	9.5mm	500
CAA6-6	4.8 (3/16)	7.9—9.5	4.9mm	14.6mm	9.5mm	500
CAA6-8	4.8 (3/16)	9.5—12.7	4.9mm	17.8mm	9.5mm	500
CAA6-10	4.8 (3/16)	12.7—15.9	4.9mm	21.0mm	9.5mm	500

ALUMINIUM / STEEL DOME HEAD MULTIGRIP



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CASMG4-1/3	3.2 (1/8)	0.8—4.8	3.3mm	8.4mm	6.4mm	1000
CASMG4-4/5	3.2 (1/8)	4.0—7.9	3.3mm	11.5mm	6.4mm	1000
CASMG5-1/4	4.0 (5/32)	1.2—6.4	4.1mm	9.9mm	7.9mm	1000
CASMG5-5/6	4.0 (5/32)	4.0—9.5	4.1mm	13.1mm	7.9mm	1000
CASMG6-1/4	4.8 (3/16)	1.6—6.4	4.9mm	10.7mm	9.8mm	500
CASMG6-4/7	4.8 (3/16)	4.8—11.1	4.9mm	15.5mm	9.8mm	500
CASMG6-7/9	4.8 (3/16)	9.0—15.0	4.9mm	19.9mm	9.8mm	500

RIVETS

ALUMINIUM / STEEL DOME HEAD SEALED



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CSA4-1	3.2 (1/8)	0.5—1.6	3.3mm	7.5mm	6.0mm	1000
CSA4-2	3.2 (1/8)	1.6—3.2	3.3mm	9.1mm	6.0mm	1000
CSA4-3	3.2 (1/8)	3.2—4.8	3.3mm	10.7mm	6.0mm	1000
CSA4-4	3.2 (1/8)	4.8—6.4	3.3mm	12.3mm	6.0mm	1000
CSA4-5	3.2 (1/8)	6.4—7.9	3.3mm	13.9mm	6.0mm	1000
CSA4-6	3.2 (1/8)	7.9—9.5	3.3mm	15.5mm	6.0mm	1000
CSA5-2	4.0 (5/32)	0.5—3.2	4.1mm	9.5mm	7.9mm	1000
CSA5-3	4.0 (5/32)	3.2—4.8	4.1mm	11.1mm	7.9mm	1000
CSA5-4	4.0 (5/32)	4.8—6.4	4.1mm	12.7mm	7.9mm	1000
CSA5-5	4.0 (5/32)	6.4—7.9	4.1mm	14.3mm	7.9mm	500
CSA5-6	4.0 (5/32)	7.9—9.5	4.1mm	15.9mm	7.9mm	500
CSA6-2	4.8 (3/16)	0.5—3.2	4.9mm	10.3mm	9.5mm	500
CSA6-3	4.8 (3/16)	3.2—4.8	4.9mm	11.9mm	9.5mm	500
CSA6-4	4.8 (3/16)	4.8—6.4	4.9mm	13.5mm	9.5mm	500
CSA6-5	4.8 (3/16)	6.4—7.9	4.9mm	15.1mm	9.5mm	500
CSA6-6	4.8 (3/16)	7.9—9.5	4.9mm	16.7mm	9.5mm	500
CSA6-8	4.8 (3/16)	9.5—12.7	4.9mm	19.8mm	9.5mm	500
CSA6-10	4.8 (3/16)	12.7—15.9	4.9mm	23.0mm	9.5mm	500

STEEL / STEEL DOME HEAD



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CSS4-2	3.2 (1/8)	1.6—3.2	3.3mm	7.0mm	6.4mm	1000
CSS4-3	3.2 (1/8)	3.2—4.8	3.3mm	8.6mm	6.4mm	1000
CSS4-4	3.2 (1/8)	4.8—6.4	3.3mm	10.2mm	6.4mm	1000
CSS4-5	3.2 (1/8)	6.4—7.9	3.3mm	11.7mm	6.4mm	1000
CSS4-6	3.2 (1/8)	7.9—9.5	3.3mm	13.3mm	6.4mm	1000
CSS4-8	3.2 (1/8)	9.5—12.7	3.3mm	16.5mm	6.4mm	1000
CSS5-2	4.0 (5/32)	0.5—3.2	4.1mm	7.6mm	7.9mm	1000
CSS5-3	4.0 (5/32)	3.2—4.8	4.1mm	9.2mm	7.9mm	1000
CSS5-4	4.0 (5/32)	4.8—6.4	4.1mm	10.8mm	7.9mm	1000
CSS5-5	4.0 (5/32)	6.4—7.9	4.1mm	12.3mm	7.9mm	500
CSS5-6	4.0 (5/32)	7.9—9.5	4.1mm	14.0mm	7.9mm	500
CSS5-8	4.0 (5/32)	9.5—12.7	4.1mm	17.1mm	7.9mm	500
CSS6-1	4.8 (3/16)	0.5—1.6	4.9mm	6.6mm	9.5mm	500
CSS6-2	4.8 (3/16)	1.6—3.2	4.9mm	8.3mm	9.5mm	500
CSS6-3	4.8 (3/16)	3.2—4.8	4.9mm	9.8mm	9.5mm	500
CSS6-4	4.8 (3/16)	4.8—6.4	4.9mm	11.4mm	9.5mm	500
CSS6-5	4.8 (3/16)	6.4—7.9	4.9mm	13.0mm	9.5mm	500
CSS6-6	4.8 (3/16)	7.9—9.5	4.9mm	14.6mm	9.5mm	500
CSS6-8	4.8 (3/16)	9.5—12.7	4.9mm	17.8mm	9.5mm	500
CSS6-10	4.8 (3/16)	12.7—15.9	4.9mm	21.0mm	9.5mm	500
CSS6-12	4.8 (3/16)	15.9—19.1	4.9mm	24.1mm	9.5mm	250
CSS8-2	6.4 (1/4)	0.5—3.2	6.5mm	9.5mm	12.7mm	250
CSS8-4	6.4 (1/4)	3.2—6.4	6.5mm	12.7mm	12.7mm	250
CSS8-6	6.4 (1/4)	6.4—9.5	6.5mm	15.9mm	12.7mm	250
CSS8-8	6.4 (1/4)	9.5—12.7	6.5mm	19.1mm	12.7mm	250

STEEL / STEEL CSK HEAD



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CSSK4-2	3.2 (1/8)	2.3—3.2	3.3mm	7.8mm	5.6mm	1000
CSSK4-3	3.2 (1/8)	3.2—4.8	3.3mm	9.4mm	5.6mm	1000
CSSK4-4	3.2 (1/8)	4.8—6.4	3.3mm	11.0mm	5.6mm	1000
CSSK5-4	4.0 (5/32)	4.8—6.4	4.1mm	11.8mm	7.1mm	1000
CSSK6-4	4.8 (3/16)	4.8—6.4	4.9mm	12.7mm	8.8mm	500

RIVETS

STAINLESS / STEEL DOME HEAD



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CSTS4-1	3.2 (1/8)	0.5—1.6	3.3mm	5.4mm	6.4mm	1000
CSTS4-2	3.2 (1/8)	1.6—3.2	3.3mm	7.0mm	6.4mm	1000
CSTS4-3	3.2 (1/8)	3.2—4.8	3.3mm	8.6mm	6.4mm	1000
CSTS4-4	3.2 (1/8)	4.8—6.4	3.3mm	10.2mm	6.4mm	1000
CSTS4-6	3.2 (1/8)	6.4—9.5	3.3mm	13.3mm	6.4mm	1000
CSTS5-2	4.0 (5/32)	0.5—3.2	4.1mm	7.6mm	7.9mm	1000
CSTS5-3	4.0 (5/32)	3.2—4.8	4.1mm	9.2mm	7.9mm	1000
CSTS5-4	4.0 (5/32)	4.8—6.4	4.1mm	10.8mm	7.9mm	1000
CSTS5-5	4.0 (5/32)	6.4—7.9	4.1mm	12.3mm	7.9mm	500
CSTS5-6	4.0 (5/32)	7.9—9.5	4.1mm	14.0mm	7.9mm	500
CSTS6-2	4.8 (3/16)	0.5—3.2	4.9mm	8.3mm	9.5mm	500
CSTS6-3	4.8 (3/16)	3.2—4.8	4.9mm	9.8mm	9.5mm	500
CSTS6-4	4.8 (3/16)	4.8—6.4	4.9mm	11.4mm	9.5mm	500
CSTS6-5	4.8 (3/16)	6.4—7.9	4.9mm	13.0mm	9.5mm	500
CSTS6-6	4.8 (3/16)	7.9—9.5	4.9mm	14.6mm	9.5mm	500
CSTS6-8	4.8 (3/16)	9.5—12.7	4.9mm	17.8mm	9.5mm	500

STAINLESS / STAINLESS DOME HEAD



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CSTS/ST4-1	3.2 (1/8)	0.5—1.6	3.3mm	5.4mm	6.4mm	1000
CSTS/ST4-2	3.2 (1/8)	1.6—3.2	3.3mm	7.0mm	6.4mm	1000
CSTS/ST4-3	3.2 (1/8)	3.2—4.8	3.3mm	8.6mm	6.4mm	1000
CSTS/ST4-4	3.2 (1/8)	4.8—6.4	3.3mm	10.2mm	6.4mm	1000
CSTS/ST4-5	3.2 (1/8)	6.4—7.9	3.3mm	11.7mm	6.4mm	1000
CSTS/ST4-6	3.2 (1/8)	7.9—9.5	3.3mm	13.3mm	6.4mm	1000
CSTS/ST5-2	4.0 (5/32)	0.5—3.2	4.1mm	7.6mm	7.9mm	1000
CSTS/ST5-3	4.0 (5/32)	3.2—4.8	4.1mm	9.2mm	7.9mm	1000
CSTS/ST5-4	4.0 (5/32)	4.8—6.4	4.1mm	10.8mm	7.9mm	1000
CSTS/ST5-5	4.0 (5/32)	6.4—7.9	4.1mm	12.3mm	7.9mm	500
CSTS/ST5-6	4.0 (5/32)	7.9—9.5	4.1mm	14.0mm	7.9mm	500
CSTS/ST6-2	4.8 (3/16)	0.5—3.2	4.9mm	8.3mm	9.5mm	500
CSTS/ST6-3	4.8 (3/16)	3.2—4.8	4.9mm	9.8mm	9.5mm	500
CSTS/ST6-4	4.8 (3/16)	4.8—6.4	4.9mm	11.4mm	9.5mm	500
CSTS/ST6-5	4.8 (3/16)	6.4—7.9	4.9mm	13.0mm	9.5mm	500
CSTS/ST6-6	4.8 (3/16)	7.9—9.5	4.9mm	14.6mm	9.5mm	500
CSTS/ST6-8	4.8 (3/16)	9.5—12.7	4.9mm	17.8mm	9.5mm	500
CSTS/ST6-12	4.8 (3/16)	15.9—19.1	4.9mm	24.1mm	9.5mm	250
CSTS/ST6-16	4.8 (3/16)	22.2—25.4	4.9mm	30.5mm	9.5mm	250

STAINLESS / STAINLESS CSK HEAD



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CSTS/STK5-2	4.0 (5/32)	0.5—3.2	4.1mm	8.7mm	7.1mm	1000
CSTS/STK5-4	4.0 (5/32)	4.8—6.4	4.1mm	11.8mm	7.1mm	1000
CSTS/STK5-5	4.0 (5/32)	6.4—7.9	4.1mm	13.3mm	7.1mm	500
CSTS/STK6-4	4.8 (3/16)	4.8—6.4	4.9mm	12.7mm	8.8mm	500
CSTS/STK6-6	4.8 (3/16)	6.4—9.5	4.9mm	15.9mm	8.8mm	500
CSTS/STK6-8	4.8 (3/16)	9.5—12.7	4.9mm	19.1mm	8.8mm	500

RIVETS

STAINLESS/ STAINLESS DOME HEAD SEALED



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CSST/ST42	3.2 (1/8)	1.6—3.2	3.3mm	9.1mm	6.0mm	1000
CSST/ST4-3	3.2 (1/8)	3.2—4.8	3.3mm	10.7mm	6.0mm	1000
CSST/ST4-4	3.2 (1/8)	4.8—6.4	3.3mm	12.3mm	6.0mm	1000
CSST/ST4-5	3.2 (1/8)	6.4—7.9	3.3mm	13.9mm	6.0mm	1000
CSST/ST4-6	3.2 (1/8)	7.9—9.5	3.3mm	15.5mm	6.0mm	1000
CSST/ST5-2	4.0 (5/32)	0.5—3.2	4.1mm	9.5mm	7.9mm	1000
CSST/ST5-4	4.0 (5/32)	4.8—6.4	4.1mm	12.7mm	7.9mm	1000
CSST/ST5-6	4.0 (5/32)	7.9—9.5	4.1mm	15.9mm	7.9mm	500
CSST/ST6-2	4.8 (3/16)	0.5—3.2	4.9mm	10.3mm	9.5mm	500
CSST/ST6-4	4.8 (3/16)	4.8—6.4	4.9mm	13.5mm	9.5mm	500
CSST/ST6-6	4.8 (3/16)	7.9—9.5	4.9mm	16.7mm	9.5mm	500
CSST/ST6-12	4.8 (3/16)	15.9—19.1	4.9mm	23.0mm	9.5mm	250

MONEL DOME HEAD



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CM4-1	3.2 (1/8)	0.5—1.6	3.3mm	5.4mm	6.4mm	1000
CM4-2	3.2 (1/8)	1.6—3.2	3.3mm	7.0mm	6.4mm	1000
CM4-3	3.2 (1/8)	3.2—4.8	3.3mm	8.6mm	6.4mm	1000
CM4-4	3.2 (1/8)	4.8—6.4	3.3mm	10.2mm	6.4mm	1000
CM4-5	3.2 (1/8)	6.4—7.9	3.3mm	11.7mm	6.4mm	1000
CM4-6	3.2 (1/8)	7.9—9.5	3.3mm	13.3mm	6.4mm	1000
CM5-2	4.0 (5/32)	0.5—3.2	4.1mm	7.6mm	7.9mm	1000
CM5-3	4.0 (5/32)	3.2—4.8	4.1mm	9.2mm	7.9mm	1000
CM5-4	4.0 (5/32)	4.8—6.4	4.1mm	10.8mm	7.9mm	1000
CM5-5	4.0 (5/32)	6.4—7.9	4.1mm	12.3mm	7.9mm	500
CM5-6	4.0 (5/32)	7.9—9.5	4.1mm	14.0mm	7.9mm	500
CM6-2	4.8 (3/16)	0.5—3.2	4.9mm	8.3mm	9.5mm	500
CM6-3	4.8 (3/16)	3.2—4.8	4.9mm	9.8mm	9.5mm	500
CM6-4	4.8 (3/16)	4.8—6.4	4.9mm	11.4mm	9.5mm	500
CM6-5	4.8 (3/16)	6.4—7.9	4.9mm	13.0mm	9.5mm	500
CM6-6	4.8 (3/16)	7.9—9.5	4.9mm	14.6mm	9.5mm	500
CM6-8	4.8 (3/16)	9.5—12.7	4.9mm	17.8mm	9.5mm	500
CM6-10	4.8 (3/16)	12.7—15.9	4.9mm	21.0mm	9.5mm	500

MONEL CSK HEAD



<u>Part No.</u>	<u>Body Dia</u>	<u>Grip Range</u>	<u>Drill</u>	<u>Body Length</u>	<u>Head Dia</u>	<u>Box QTY</u>
CMK4-2	3.2 (1/8)	0.5—3.2	3.3mm	7.8mm	5.6mm	1000
CMK4-4	3.2 (1/8)	4.8—6.4	3.3mm	11.0mm	5.6mm	1000
CMK5-4	4.0 (5/32)	4.8—6.4	4.1mm	18.8mm	7.1mm	1000
CMK6-4	4.8 (3/16)	4.8—6.4	4.9mm	12.7mm	8.8mm	500
CMK6-6	4.8 (3/16)	6.4—9.5	4.9mm	15.9mm	8.8mm	500

RIVET COLOURS AVAILABLE

CONTEMPORARY COLOURS

BASALT	MANGROVE
COVE	MONUMENT
DUNE	SHALE GREY
EVENING HAZE	SURF MIST
GULLY	TERRAIN
IRONSTONE	WALLABY
JASPER	WINDSPRAY

CLASSIC COLOURS

CLASSIC CREAM
COTTAGE GREEN
DEEP OCEAN
MANOR RED
NIGHT SKY
PALE EUCALYPT
PAPERBARK

WOODLAND GREY

Brisbane Office

Unit 1, Compton Court
67-77 Compton Road
Underwood QLD 4119
T: 07 3290 1466 F: 07 3290 1078
E: sales@allfixfasteners.com.au

Gold Coast Office

Unit 1, Mudgeeraba Industrial Park,
1 Mudgeeraba Road
Mudgeeraba QLD 4213
T: 07 5559 2756 F: 07 5559 1062
E: salesgc@allfixfasteners.com.au

Toowoomba Office

1 Tews Court
Wilsonton QLD 4350
T: 07 4633 3922 F: 07 4633 3933
E: salestb@allfixfasteners.com.au

Web: www.allfixfasteners.com.au

GREAT SERVICE, QUALITY PRODUCTS ALL AT THE RIGHT PRICE