

18V CASSETTE

DS18DVF3

18V Cassette Driver Drill Kit
06450215



- 2 speed gearbox
- Compact & lightweight with convenient belt hook
- 13mm keyless chuck provides effortless useability
- Ergonomic soft grip handle for increased user comfort and reduced fatigue
- Includes torch and bit set
- 22 stage adjustable clutch
- Compatible with 18V Ni-Cd, Ni-MH and Li-Ion cassette batteries

Specifications

Capacity	Metal	13mm
	Wood	38mm
No load speed	Low	0 – 400 (min-1)
	High	0 – 1,200 (min-1)
Max. torque	Max.	45Nm
	Hard	57Nm
Weight	2.0kg (with BCC1815 battery)	
Length	220mm (with BCC1815 battery)	
Battery type	BCC1815: 18V 1.5Ah Ni-Cd cassette	
Standard accessories	2 x BCC1815 batteries, charger, UB18D torch, 7 piece bit set and carry case	



18V CASSETTE (Only Available Naked)

CH18DL(H4)

18V Cassette Cordless Hedge Trimmer Naked



- Long 520mm cutting blade bar offering up to 15mm cutting capacity
- Dual action double sided and double edged blades provide fast and efficient trimming
- Large front handle incorporating a safety switch ensures the trimmer will only operate when both hands are used
- Soft grip rubber rear handle offers an ergonomic feel with non slip performance

Specifications

Cutting capacity	15mm	
No load speed	1,100 (min-1)	
Cutting bar length	520mm	
Run time (approx)	50 mins (with BSL1815 battery)	
Weight	2.4kg (with BSL1815 battery)	
Length	860mm (with BSL1815 battery)	
Battery type	Compatible with 18V Li-Ion, Ni-Cd and Ni-MH cassette batteries	



C18DL(H4)

18V Cassette 165mm Circular Saw Naked
08112118



- 90° fine adjustment screw underneath the base enables user to easily ensure blade is set accurately
- Ergonomic soft grip handle for increased user comfort and reduced fatigue
- Blade brake rapidly stops blade from rotating, increasing user safety
- Bright light for well lit work area
- Safety switch lever and the light switch are integrated into one switch for increased safety
- Magnesium saw cover for high rigidity

Specifications

Capacity	90° : 57mm / 45° : 40mm	
No Load Speed	3,400 (min-1)	
Blade	165mm 24TPI	
Angle Cutting	0 – 45°	
Weight	3.2kg (with BCL1840 battery)	
Length	351mm (with BCL1840 battery)	
Battery Type	Compatible with 18V Li-Ion, Ni-Cd and Ni-MH cassette batteries	
Standard Accessories	Blade, splinter guard and chip cover, Optional batteries and charger available separately	



CJ18DL(H4)

18V Cassette Jig Saw Naked
08112203



- 4 stage orbital action enables faster cutting of timber material
- Dust blower mechanism that blows off dust by using the air from the motor cooling fan easing sight of cutting line
- Ergonomic soft grip "D" handle for increased user comfort and reduced fatigue
- Alloy base provides strength and precision cutting
- Tool less blade change for quick, easy blade replacement
- Ultra bright white LED for improved visibility

Specifications

Capacity	Wood	135mm
	Steel	10mm
No load speed	0 – 2,400 (min-1)	
Stroke length	26mm	
Blade type	Standard Bayonet	
Angle cutting	0 – 45° left and right	
Weight	2.4kg (with BCL1840 battery)	
Length	274mm (with BCL1840 battery)	
Battery type	Compatible with 18V Li-Ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Blade, splinter guard and chip cover. Optional batteries and charger available separately	



18V CASSETTE (Only Available Naked)

Specifications

999068

Capacity	Wood	90mm
	Steel Pipe	90mm
	Steel Plate	10mm
No load speed	0 – 2100 (min-1)	
Stroke	28mm	
Weight	3.4kg (with BCL1840 battery)	
Length	434mm (with BCL1840 battery)	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Blade and wrench. Optional batteries and charger available separately	



4 9 6 6 3 7 6 1 5 4 8 4 5



- Slip resistant soft grip handle for increased comfort and reduced fatigue
- Tool less blade change for quick, easy blade replacement
- Large size trigger switch for user comfort
- Externally accessible brushes facilitating easy service
- Safety lock off button to prevent accidental start up
- Blade can be mounted in either upward or downward direction



CR18DL(H4)

18V Cassette Reciprocating Saw Naked
08112135

Specifications

999054

Disc diameter	125mm	
No load speed	9,100 (min-1)	
Hole diameter	22mm	
Spindle thread	M14 x 2	
Weight	1.9kg (with BCL1840 battery)	
Length	325mm (with BCL1840 battery)	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Grinding disc, wrench and side handle. Optional batteries and charger available separately	



4 9 6 6 3 7 0 2 0 8 5 5 5



- Compact & lightweight with a 182mm grip diameter
- The soft grip handle is easy to control and the small grip perimeter allows for convenient operation in narrow spaces
- Safety anti-start override circuit protects the operator from the risk of sudden start of operation when the battery is loaded while the slide switch is turned on
- Externally accessible brushes facilitating easy service
- Compatible with both 115mm & 125mm standard discs
- Aluminium cover for high rigidity



G18DL(H5)

18V Cassette 125mm
Angle Grinder Naked
08112220

Specifications

999100

Capacity	Masonry	16mm
	Wood	18mm
	Steel	13mm
No load speed	0 – 750 / 0 – 1,500 (min-1)	
Impact rate	0 – 3,100 / 0 – 6,200 (min-1)	
Chuck type	SDS Plus	
Weight	2.3kg (with BCL1840 battery)	
Length	324mm (with BCL1840 battery)	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Side handle and depth gauge. Optional batteries and charger available separately. Drill bit not included	



4 9 6 6 3 7 6 1 5 3 9 0 9



- Idle striking prevention mechanism eases drilling whilst preventing damage to the tool & drill bit
- Large trigger combined with handle design enables users to drill straight with ease whilst holding the machine firmly and comfortably
- SDS plus chuck with hammer and drill mode
- Belt hook with LED
- Easy external access to carbon brushes
- Power / save mode is a two power mode allowing the user to select the suitable speed for the job. Save mode for small bits or power mode for larger bits



DH18DL(H4)

18V Cassette Rotary
Hammer Naked
08112186

Specifications

Capacity	Wood	36mm
	Steel	13mm
	Max. torque	45Nm
Max. torque	Hard	55Nm
	No load speed	0 – 400 / 0 – 1,200 (min-1)
Chuck type	13mm keyless	
Weight	1.7kg (with BCL1815 battery)	
Length	220mm (with BCL1815 battery)	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Driver bit. Optional batteries and charger available separately	



9 3 2 3 6 2 4 0 1 9 4 7 2



- 13mm keyless chuck provides effortless useability
- 2 speed gearbox
- 22 stage adjustable clutch
- Ergonomic soft grip handle for increased user comfort and reduced fatigue
- Compact & lightweight with convenient belt hook



DS18DFL(H4)

18V Cassette Driver Drill Naked

18V CASSETTE (Only Available Naked)

DS18DL2(H4)

18V Cassette Driver Drill Naked
08112084



- 13mm single sleeve metal keyless chuck with automatic spindle lock provides high strength & effortless useability
- Ergonomic soft grip handle for increased user comfort and reduced fatigue
- Compact & lightweight with convenient belt hook
- Externally accessible brushes facilitating easy service
- Ultra bright white LED for improved visibility
- 22 stage adjustable clutch
- 2 speed gear box
- Aluminium cover for high rigidity

*Measured when using 4.0Ah Li-ion Batteries

Specifications

999054

Capacity	Wood	65mm
	Metal	13mm
Torque	Max.	80Nm
	Hard	95Nm*
	Soft	46Nm
No load speed	0 – 350 / 0 – 1,600 (min-1)	
Weight	2.1kg (with BCL1840 battery)	
Length	228mm (with BCL1840 battery)	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Side handle and driver bit. Optional batteries and charger available separately	



DV18DFL(H4)

18V Cassette Impact
(Hammer) Driver Drill Naked



- 13mm keyless chuck provides effortless useability
- 2 speed gearbox
- 22 stage adjustable clutch
- Ergonomic soft grip handle for increased user comfort and reduced fatigue
- Compact & lightweight with convenient belt hook

Specifications

Capacity	Masonry	13mm
	Metal	13mm
	Wood	38mm
Max. torque	43Nm	
No load speed	0 – 400 / 0 – 1,500 (min-1)	
Impact rate	0 – 5,600 / 0 – 21,000 (min-1)	
Weight	1.6kg (with BCL1820 battery)	
Length	234mm (with BCL1820 battery)	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Driver bit. Optional batteries and charger available separately	



DV18DL2(H4)

18V Cassette Impact (Hammer)
Driver Drill Naked
08112101



- 13mm single sleeve metal keyless chuck with automatic spindle lock provides high strength & effortless useability
- Ergonomic soft grip handle for increased user comfort and reduced fatigue
- Compact & lightweight with convenient belt hook
- Externally accessible brushes facilitating easy service
- Ultra bright white LED for improved visibility
- 22 stage adjustable clutch
- 2 speed gear box
- Aluminium cover for high rigidity

*Measured when using 4.0Ah Li-ion Batteries

Specifications

999504

Capacity	Masonry	16mm
	Wood	65mm
	Metal	13mm
Torque	Max.	71Nm
	Hard	96Nm*
	Soft	43Nm
No load speed	0 – 400 / 0 – 1,800 (min-1)	
Max. Impact Rate	27,000 (min-1)	
Weight	2.2kg (with BCL1840 battery)	
Length	242mm (with BCL1840 battery)	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Side handle and driver bit. Optional batteries and charger available separately	



WH18DFL(H4)

18V Cassette Impact Driver Naked



- Ergonomic soft grip handle for increased user comfort and reduced fatigue
- Compact & lightweight
- Belt hook with LED
- Aluminium cover for high rigidity

Specifications

Capacity	Machine screw	M4 – M8
	Bolt	M5 – M12
	High tension bolt	M5 – M10
Torque	130Nm	
No load speed	0 – 2,500 (min-1)	
Impact rate	0 – 3,000 (min-1)	
Drive type	6.35mm hex drive	
Weight	1.5kg (with BCL1820 battery)	
Length	176mm (with BCL1820 battery)	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Optional batteries and charger available separately	



18V CASSETTE (Only Available Naked)

Specifications

999054

Capacity	Machine screw	4 - 10mm
	Ordinary bolt	M6 - M14
	High tension bolt	M6 - M12
Torque	95 / 176Nm*	
No load speed	0 - 2,000 / 2,600 (min-1)	
Impact rate	0 - 2,400 / 3,200 (min-1)	
Drive	6.35mm hex drive	
Weight	1.7kg	
Length	162mm	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Optional batteries and charger available separately	



- Power / save mode is a two power mode allowing the user to select the suitable speed for the job. Save mode for small bits or power mode for larger bits
- Ergonomic soft grip handle for increased user comfort and reduced fatigue
- Externally accessible brushes facilitating easy service
- Compact & lightweight with convenient belt hook
- Aluminium cover for high rigidity
- Ultra bright white LED for improved visibility



4 9 6 6 3 7 6 1 9 7 7 8 1

WH18DL2(H4) 18V Cassette Impact Driver Naked 02026000



*Measured when using 4.0Ah Li-ion Batteries

Specifications

999054

Capacity	Ordinary bolt	M10 - M18
	High tension bolt	M8 - M14
Torque	140 / 271Nm*	
No load speed	0 - 2,000 / 2,600 (min-1)	
Impact rate	0 - 2,400 / 3,200 (min-1)	
Drive	12.7mm square drive	
Weight	1.7kg	
Length	173mm	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Optional batteries and charger available separately. Socket not included	



- Power / save mode is a two power mode allowing the user to select the suitable speed for the job. Save mode for small bits or power mode for larger bits
- Ergonomic soft grip handle for increased user comfort and reduced fatigue
- Externally accessible brushes facilitating easy service
- Compact & lightweight with convenient belt hook
- Aluminium cover for high rigidity
- Ultra bright white LED for improved visibility



4 9 6 6 3 7 6 1 9 7 9 3 4

WR18DL2(H4) 18V Cassette Impact Wrench Naked



*Measured when using 4.0Ah Li-ion Batteries

Specifications

999100

Capacity	Ordinary bolt	M12 - M22
	High tension bolt	M12 - M16
Max. torque	480Nm	
No load speed	1,500 (min-1)	
Impact rate	2,000 (min-1)	
Drive	12.7mm square drive	
Weight	3.4kg (with BCL1840 battery)	
Length	264mm (with BCL1840 battery)	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Optional batteries and charger available separately. Socket not included	



- Powerful 480Nm of tightening torque ensures maximum power for heavy duty trade applications
- Forward & reverse tumbler switch provides an easy one handed switch over in fastening direction
- Ergonomic soft grip handle for increased user comfort and reduced fatigue
- Externally accessible brushes facilitating easy service
- Aluminium cover for high rigidity
- Ultra bright white LED for improved visibility



4 9 6 6 3 7 6 1 8 8 9 1 8

WR18DHL(H4) 18V Cassette High Torque Impact Wrench Naked



Specifications

AM frequency	522 - 1620 (KHz)	
FM frequency	87.50 - 1080 (MHz)	
Speaker	78mm x 2	
Max. volume	83.1 (dB)	
Weight	3.3kg (without battery)	
Dimensions	Length 231mm x Width 184mm x Height 281mm	
Battery type	9.6V - 18V cassette & slide batteries (Not including 10.8V batteries)	
Standard accessories	AC adaptor, 3 x AAA batteries. Optional batteries available separately	

- Compatible with Hitachi slide & cassette batteries from 9.6V - 18V (excluding 10.8V)
- 83.1db when using 18V battery provides maximum audio
- Lightweight at only 3.3kg
- Compact design with protective rubber & strong metallic frame ensures resilience to tough conditions
- AUX input terminal to connect a mobile music player
- Radio can be powered by either AC or battery



4 9 6 6 3 7 6 1 7 4 5 6 0

UR18DSL(H4) 9.6 - 18V Cassette & Slide AM FM Radio Naked 09792024



18V CASSETTE (Only Available Naked)

R18DL(H4)

18V Cassette Wet & Dry Vacuum Naked



- High suctioning power for increased work efficiency
- Semi-transparent dust case allows user to determine duct collection capacity conveniently at a glance
- Large capacity dust case for improved productivity
- 3 Nozzles included for a variety of applications

Specifications

Capacity	Dust	670mL
	Liquid	120mL
Runtime	40 minutes (with BCL1840 Battery)	
Weight	1.5kg (with BCL1840 battery)	
Length	430mm (with BCL1840 battery)	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Brush, crevice and squeegee nozzle. Optional batteries and chargers available separately	



RB18DL(H4)

18V Cassette Blower Naked
08112237



- Handle grip comfortably fits in the palm of a hand
- Doubles as vacuum with dust bag sold as an optional accessory (323587)

Specifications

No load speed	15,000 (min-1)	
Air volume flow	2.2 (m ³ /min)	
Air pressure	3.9 (kPa)	
Runtime	27 minutes (with BCL1840 battery)	
Weight	1.7kg (with BCL1840 battery)	
Length	480mm (with BCL1840 battery)	
Battery type	Compatible with 18V Li-ion, Ni-Cd and Ni-MH cassette batteries	
Standard accessories	Nozzle. Dust bag not included. Optional batteries and charger available separately	



*Optional dust bag available (323587)

UB18DL

14.4V & 18V Cassette Lantern Naked



- Rotary hooked handle which can be locked into 8 different positions for hanging anywhere
- Stand to provide stability no matter what battery is inserted
- Strap attachment holes for attaching a user's strap
- LED small light which consumes less power
- Automatic LED switching function which kicks in when battery voltage reduces to avoid sudden blackout

Specifications

Working voltage	14.4/18V	
Illumination	18V: 380Lx	
	14.4V: 330Lx	
Continuous operating time	Fluorescent lamp: 6.5 hours approx. LED: 195 hours approx. (with BSL1840 battery)	
Weight	400g (without battery)	
Length	299mm (without battery)	
Battery type	Compatible with Li-ion/Ni-Cd/Ni-MH 14.4V & 18V cassette batteries	
Standard accessories	Optional batteries and charger available separately	



UB18D

14.4V & 18V Cassette Torch Naked



- Adjustable head which pivots 110 degrees in five steps
- Shoulder strap for convenient portability and long term use
- Stable base for hands free use
- Replacement spare bulb stored within the head
- Replacement bulbs available separately: 318767 (2pce)

Specifications

Working voltage	14.4/18V	
Illumination	7000Lx (using fully charged 18V battery)	
	3500Lx (using fully charged 14.4V battery)	
Continuous operating time	Approx. 3 hours (using fully charged 2.0 Ah EB18B battery)	
Weight	300g (without battery)	
Length	252mm (without battery)	
Battery type	Compatible with Li-ion/Ni-Cd/Ni-MH 14.4V & 18V cassette batteries	
Standard accessories	Shoulder strap. Optional batteries and charger available separately	

