

QUICK REFERENCE GUIDE FOR DRILLS

Handle Type	Steel Drilling Dia. (mm)	Model	No Load Speed (min-1)	Power Input (W)	Speed Control Mode			Application	
					Variable Speed	2-Speed	Reversible	Medium Duty	Heavy Duty
Pistol Grip	6.5	D6SH	4,500	240				•	
Pistol Grip	10	D10VC2	0 – 2,300	460	•		•	•	
Pistol Grip	13	D13VB3	0 – 1,000/3,000	790	•	•	•		•
Pistol Grip	13	D13VF	0 – 850	710	•		•		•
Pistol Grip	13	D13VG	0 – 600	710	•		•		•
D-Shaped	13	D13	550	720			•		••

DRILLS

D6SH

6.5mm Drill
04101104



- Single speed trigger for easy use
- Compact and lightweight to reduce user fatigue
- Well balanced design for improved ergonomics
- Fast drilling speed with a top speed of 4,500 (min-1)
- Adjustable depth gauge can be mounted either side
- Ideal for pop rivet applications

Specifications

999041

Chuck	6.5mm keyed
Capacity	Steel: 6.5mm Wood: 9mm
Input power	240W
No load speed	4,500 (min-1)
Weight	0.9kg
Length	206mm
Standard accessories	Chuck key, hook and depth gauge



4 9 6 6 3 7 6 0 8 3 0 2 2

D10VC2

10mm Drill
00099309



- 10mm keyless chuck for easy bit changeover
- Variable speed trigger and dial to suit multiple drilling applications
- Forward and reversible for convenience
- Two position side handle

Specifications

999041

Chuck	10mm keyless
Capacity	Steel: 10mm Wood – flat spade: 25mm Wood – auger: 16mm
Input power	460W
No load speed	0 – 2,300 (min-1)
Weight	1.3kg
Length	238mm
Standard accessories	Side handle and carry case



4 9 6 6 3 7 6 1 1 1 3 1 2

D13VB3

13mm Drill with Safety Slip Clutch
02910934



- 13mm keyless chuck for easy bit changeover
- Variable speed trigger and dial to suit multiple drilling applications
- Forward and reversible for convenience
- Die cast aluminium gear cover for durability and long life
- High speed drilling at 0-3,000 (min-1) on high setting
- Chuck offset only 23.5mm
- Soft grip handle for user comfort and reduced fatigue
- Slip clutch for end user safety

Specifications

999041

Chuck	13mm keyless
Capacity	Steel: 13mm Wood: 40mm
Input power	790W
No load speed	High: 0 – 3,000 (min-1) Low: 0 – 1,000 (min-1)
Weight	2.0kg
Length	339mm
Standard accessories	Side handle and depth gauge



4 9 6 6 3 7 6 1 3 0 3 2 0

Specifications

999041

Chuck	13mm keyed
Capacity	Steel – twist bit: 13mm
	Steel – hole saw: 51mm
	Wood – flat spade bit: 40mm
	Wood – auger: 32mm
Wood – hole saw: 102mm	
Input power	710W
No load speed	0 – 850 (min-1)
Weight	2.1kg
Length	287mm
Standard accessories	Chuck key, side handle and carry case



- Variable speed trigger to suit multiple drilling applications
- Forward and reversible for convenience
- Extra heavy duty keyed chuck for the toughest jobs
- Soft grip handle for user comfort and reduced fatigue
- Aluminium gear cover and inner cover for increased durability
- Heavy duty metal gear housing for tool durability



D13VF
13mm Drill
03490396



4 9 6 6 3 7 6 1 0 3 1 0 2

Specifications

999041

Chuck	13mm keyed
Capacity	Steel – twist bit: 13mm
	Steel – hole saw: 70mm
	Wood – flat spade bit: 40mm
	Wood – auger: 38mm
Wood – hole saw: 114mm	
Input power	710W
No load speed	0 – 600 (min-1)
Weight	2.1kg
Length	287mm
Standard accessories	Chuck key, side handle, handle extension and carry case



- Variable speed to suit a variety of applications
- Forward and reversible for convenience
- Heavy duty keyed chuck for the toughest jobs
- Low noise at 78db for improved user safety and comfort
- Aluminium gear cover and inner cover for increased durability
- Suitable for auger, hole saw & mixing applications



D13VG
13mm High Torque Drill
03490413



4 9 6 6 3 7 6 1 0 3 0 5 8

Specifications

Auto Stop 999073

Chuck	13mm keyed
Capacity	Steel: 13mm
	Wood: 40mm
Input power	720W
No load speed	550 (min-1)
Weight	3.0kg
Length	378mm
Standard accessories	Chuck key, "D" shaped rear handle and side handle



- Powerful 720W motor for high torque applications
- Forward and reversible for convenience
- Heavy duty keyed chuck for the toughest jobs
- Triple reduction gearing for high torque applications
- Aluminium front cover for durability
- Ideal for mixing applications and timer augers
- Suited for high torque application



D13
13mm High Torque Drill
04513864



4 9 6 6 3 7 6 0 3 5 7 1 7



BENCH DRILL PRESS

B16RM

380mm Laser Drill Press
02025779



Specifications

Chuck	16mm
Capacity	Swing: 380mm (throat depth 190mm) Spindle travel: 85mm
Input power	750W induction motor
Rotation speeds (12 speeds)	210 – 2,580 (min-1)
Table size	336 x 336mm
Table tilt	45° left or right
Weight	75kg
Length	1,618mm
Standard accessories	Chuck key, wedge (drift) and hex keys

- Variable Speed (12 Speed sections)
- Patented X-Y laser guide that enables rapid and accurate pre alignment of drilling location
- Keyed on/off switch for optimum safety
- Depth adjustment gauge for accurate drilling of repetitive depth holes
- Durable cast iron table surface tilts 45° right or left
- Quick belt tension releasing knob for fast speed setting
- Built in light



- LASER line shown here for illustration purposes
- Do not stare into LASER beam



QUICK REFERENCE GUIDE FOR IMPACT (HAMMER) DRILLS

Handle Type	Concrete Drilling Dia. (mm)	Model	No Load Speed (min-1)	Power Input (W)	Speed Control Mode			Application	
					Variable Speed	2-Speed	Reversible	Medium Duty	Heavy Duty
Pistol Grip	13	DV13VSS	0 – 2,900	550	•		•	•	
Pistol Grip	16	DV16V	0 – 2,900	590	•		•	•	
Pistol Grip	16	DV16VSS	0 – 2,900	600	•		•	•	
Pistol Grip	18	DV18V	0 – 1,000/3,000	690	•	•	•		•
Pistol Grip	20	DV20VB2	0 – 1,000/3,000	730	•	•	•		•
Pistol Grip	20	DV20VB2-SC	0 – 1,000/3,000	790	•	•	•		•
D-Shaped	35	VTV16	0 – 700/1,400	800	•	•			••

IMPACT (HAMMER) DRILLS

Specifications

999041

Chuck	13mm keyless
Capacity	Concrete: 13mm Steel: 13mm Wood: 20mm
Input power	550W
No load speed	0 – 2,900 (min-1)
Impact rate	0 – 46,400 (min-1)
Weight	1.4kg
Length	270mm
Standard accessories	Side handle, depth gauge and carry case



4 9 6 6 3 7 6 1 6 8 4 6 0



- 13mm keyless chuck for easy bit changeover
- Lightweight and compact for reduced user fatigue
- Variable speed trigger to suit multiple drilling applications
- Forward and reversible for convenience
- Durable cylindrical housing for increased tool life

DV13VSS(HA)
13mm Impact Drill
09954323



Specifications

999041

Chuck	13mm keyless
Capacity	Concrete: 16mm Steel: 13mm Wood: 25mm
Input power	600W
No load speed	0 – 2,900 (min-1)
Impact rate	0 – 46,400 (min-1)
Weight	1.5kg
Length	270mm
Standard accessories	Side handle, depth gauge and carry case



4 9 6 6 3 7 6 1 6 9 1 0 8



- 13mm keyless chuck for easy bit changeover
- Lightweight and compact for reduced user fatigue
- Variable speed trigger and dial to suit multiple drilling applications
- Forward and reversible for convenience
- Durable cylindrical housing for increased tool life

DV16VSS(HA)
16mm Impact Drill
09954340



Specifications

999041

Chuck	13mm keyless
Capacity	Concrete: 16mm Steel: 13mm Wood: 25mm
Input power	590W
No load speed	0 – 2,900 (min-1)
Impact rate	0 – 34,500 (min-1)
Weight	1.5kg
Length	269mm
Standard accessories	Side handle, depth gauge and carry case



4 9 6 6 3 7 6 1 1 9 5 9 2



- Powerful 590W motor for the toughest jobs
- Variable speed trigger and dial to suit multiple drilling applications
- Compact design ensure high operation and efficiency
- Ergonomic grip for reduced user fatigue
- Durable cylindrical housing and aluminium die-casting inner cover and gear cover
- Suited to industrial drilling applications

DV16V
16mm Impact Drill
06066712



CORDLESS

PNEUMATIC

DRILLING

ROBRY & DEMOLITION

FASTENING

GRINDING & CUTTING

POLISHING / SANDING

SAWING

PLANING / ROUTING

AIR DISPLACEMENT

ENGINE

ACCESSORIES

IMPACT (HAMMER) DRILLS

DV18V

18mm Impact Drill
06066729



- Powerful 690W motor for the toughest jobs
- Variable speed trigger and dial to suit multiple drilling applications
- Compact and lightweight design for reduced user fatigue
- Aluminium gear cover and inner cover for increased durability

Specifications

999041

Chuck	13mm keyless
Capacity	Concrete: 18mm / Steel: 13mm / Wood: 40mm
Input power	690W
No load speed	Low: 0 – 1,000 (min-1) High: 0 – 3,000 (min-1)
Impact rate	Low: 0 – 8,400 (min-1) High: 0 – 27,300 (min-1)
Weight	2.0kg
Length	333mm
Standard accessories	Side handle, depth gauge and carry case



DV20VB2(H8)

20mm Impact Drill
00099406



- Powerful 730W motor for the toughest jobs
- Variable speed trigger and dial to suit multiple drilling applications
- Compact and lightweight design to reduce user fatigue
- Mode switch for easy mode selection
- Full speed reverse for added versatility

Specifications

999041

Chuck	13mm keyed
Capacity	Concrete: 20mm / Steel: 13mm / Wood: 40mm
Input power	730W
No load speed	Low: 0 – 1,000 (min-1) High: 0 – 3,000 (min-1)
Impact rate	Low: 0 – 8,000 (min-1) High: 0 – 26,000 (min-1)
Weight	2.2kg
Length	350mm
Standard accessories	Chuck key, side handle, depth gauge and carry case



DV20VB2-SC(H9)

20mm Impact Drill with
Safety Slip Clutch
00515159



- 13mm keyless chuck for easy bit changeover
- Variable speed trigger and dial to suit multiple drilling applications
- Synchronised gear shift mechanism
- Easy to use mode switching
- Large trigger for increased user comfort
- Full speed reverse for added versatility
- Slip clutch to improve end user safety

Specifications

999041

Chuck	13mm keyless
Capacity	Concrete: 20mm / Steel: 13mm / Wood: 40mm
Input power	730W
No load speed	Low: 0 – 1,000 (min-1) High: 0 – 3,000 (min-1)
Impact rate	Low: 0 – 8,000 (min-1) High: 0 – 26,000 (min-1)
Weight	2.2kg
Length	350mm
Standard accessories	Side handle, depth gauge and carry case



VTV16

35mm Impact Drill



- High and low selectable speeds for various applications
- 16mm all metal keyed chuck for heavy duty applications
- Variable speed trigger and dial to suit multiple drilling applications

Specifications

Auto Stop 999073

Chuck	16mm keyed
Capacity	Concrete: 35mm / Steel: 16mm
Input power	800W
No load speed	Low: 0 – 700 (min-1) High: 0 – 1,400 (min-1)
Impact rate	Low: 0 – 11,200 (min-1) High: 0 – 20,000 (min-1)
Weight	3.8kg
Length	443mm
Standard accessories	Chuck key, side handle and depth gauge

