

CORDESS

PNEUMATIC

DRILLING

ROTARY & DEMOLITION

FASTENING

GRINDING & CUTTING

POLISHING / SANDING

SAWING

PLANING / ROUTING

AIR DISPLACEMENT

ENGINE

ACCESSORIES

QUICK REFERENCE GUIDE FOR POLISHING & SANDING

Model	Type	Sheet Size	Input Power	No Load Speed	Dust Collection	Weight
SAT-180	Sander Polisher	180mm	950W	1,900/3,400 (min-1)		2.9kg
SP18VA	Sander Polisher	180mm	1,250W	0 - 600/0 - 3,400 (min-1)		2.8kg
FSV10SA	Orbital Sander	92 x 184mm	160W	10,000 (min-1)	•	1.3kg
SV12SH	Orbital Sander	110 x 100mm + 96 x 96 x 96mm	200W	14,000 (min-1)	•	1.0kg
SV12SG	Orbital Sander	110 x 100mm	200W	14,000 (min-1)	•	1.1kg
SV12SD	Orbital Sander	114 x 228mm	400W	10,000 (min-1)	•	2.8kg
SV13YB (H1)	Random Orbital	125mm	230W	12,000 (min-1)	•	1.4kg
SV13YA (H1)	Random Orbital	125mm	230W	7,000 - 12,000 (min-1)	•	1.4kg
SAY-150A	Random Orbital	150mm	380W	7,000 (min-1)	•	2.1kg
SB8V2	Belt Sander	76 x 533mm	1,020W	250 - 450 (m/min)	•	4.3kg
SB10V2 (H1)	Belt Sander	100 x 610mm	1,020W	240 - 420 (m/min)	•	5.2kg

SANDER POLISHERS

SAT-180 180mm Sander/Polisher 06082417



- Powerful 950W motor for the toughest jobs
- No-load speed range of 1,900-3,400rpm to suit a variety of applications
- Robust construction with dust resistant design and dust sealed switch for longer life



Specifications

999043

Wheel diameter	180mm
Input power	950W
No load speed	Low: 1,900 (min-1) High: 3,400 (min-1)
Spindle thread	M14 x 2
Weight	2.9kg
Length	395mm
Standard accessories	Side handle, rubber backing pad, wool bonnet, 5 x sanding discs and 2 x spanners



SP18VA 180mm Sander/Polisher with Variable Speed 05286905



- Powerful 1,250W motor for the toughest jobs
- Variable speed control for optimum sanding/polishing efficiency
- Soft start to prevent kickback upon start up
- Overload protection control to extend tool life



Specifications

999043

Wheel diameter	180mm
Input power	1,250W
No load speed	Low: 0-600 (min-1) High: 0-3,400 (min-1)
Spindle thread	M14 x 2
Weight	2.8kg
Length	415mm
Standard accessories	Loop handle, rubber pad, wool bonnet, sanding disc and wrench



ORBITAL SANDERS

Specifications

999041

Pad size	92 x 184mm
Input power	160W
No load speed	Spindle: 10,000 (min-1) Orbit: 20,000 (min-1)
Orbital diameter	2mm
Weight	1.3kg
Length	184mm
Standard accessories	Sanding paper, punch plate and dust bag



- Large soft grip fits in the palm of hand for ease of operation while still allowing motor ventilation
- Excellent dust collection with standard dust bag for user safety
- Hook and loop base with additional clamps allowing use of hook and loop compatible paper or normal paper to be used
- Lightweight and compact at 1.3kg weight for increased user comfort
- Low noise for user comfort
- Ideal for close edge work ensuring quality work

FSV10SA 1/3 Sheet Orbital Sander 00097602



Specifications

999041

Pad size	110 x 100mm
Triangle size	96 x 96 x 96mm
Input power	200W
No load speed	14,000 (min-1)
Orbital diameter	1.5mm
Weight	1.0kg
Length	133mm
Standard accessories	Sanding paper and dust bag



- Delta-shaped sanding pad for detailed corner work
- Large soft grip fits in the palm of hand for ease of operation while still allowing motor ventilation
- Excellent dust collection with standard dust bag for user safety
- Hook and loop base allowing use of hook and loop compatible paper

SV12SH 1/4 Sheet and Delta Orbital Palm Sander



Specifications

999041

Pad size	110 x 100mm
Input power	200W
No load speed	14,000 (min-1)
Orbital diameter	1.5mm
Weight	1.1kg
Length	137mm
Standard accessories	Sanding paper and dust bag



- Large soft grip fits in the palm of hand for ease of operation while still allowing motor ventilation
- Excellent dust collection with standard dust bag for user safety
- Hook and loop base with additional clamps allowing use of hook and loop compatible paper or normal paper to be used
- Ideal for close edge work ensuring quality work
- High sanding rate for good stock removal

SV12SG 1/4 Sheet Orbital Palm Sander



Specifications

999041

Pad size	114 x 228mm
Input power	400W
No load speed	Spindle: 10,000 (min-1) Orbit: 20,000 (min-1)
Orbital diameter	2.4mm
Weight	2.8kg
Length	300mm
Standard accessories	Sanding paper and dust bag



- Flush sanding on 3 sides because of design
- Direct drive system for minimum vibration and smooth finishing
- Lever action, quick paper clamp system facilitating quick and easy paper change
- Excellent dust collection efficiency by 'through the base' dust extracting system

SV12SD 1/2 Sheet Orbital Sander 00097505



CORDESS

PNEUMATIC

DRILLING

RODARY & DEMOLITION

FASTENING

GRINDING & CUTTING

POLISHING / SANDING

SAWING

PLANING / ROUTING

AIR DISPLACEMENT

ENGINE

ACCESSORIES

RANDOM ORBITAL SANDERS

SV13YB(H1) 125mm Random Orbital Sander



- Random orbit sanding action for smooth finish
- Large soft grip fits in the palm of hand for ease of operation while still allowing motor ventilation
- Excellent dust collection with standard dust bag for user safety
- Hook and loop base allowing use of hook and loop compatible paper

Specifications

999041

Pad size	125mm
Input power	230W
No load speed	12,000 (min-1)
Orbital diameter	3.2mm
Weight	1.4kg
Length	145mm
Standard accessories	Sand paper, dust bag and carry case



SV13YA(H1) 125mm Random Orbital Sander with Variable Speed



- Random orbit sanding action for smooth finish
- Large soft grip fits in the palm of hand for ease of operation while still allowing motor ventilation
- Excellent dust collection with standard dust bag for user safety
- Hook and loop base allowing use of hook and loop compatible paper
- Variable speed and stable speed control to suit multiple sanding applications

Specifications

999041

Pad size	125mm
Input power	230W
No load speed	7,000 - 12,000 (min-1)
Orbital diameter	3.2mm
Weight	1.4kg
Length	145mm
Standard accessories	Sand paper, dust bag and carry case



SAY-150A 150mm Random Orbital Sander



- Random orbit sanding action for smooth finish
- Lock on switch for increased user comfort
- Self-adhesive pad for user convenience
- Comes with hook and loop pad
- Comes standard with dust extraction system

Specifications

999021

Pad size	150mm
Input power	380W
No load speed	7,000 (min-1)
Orbital diameter	7mm
Weight	2.1kg
Length	279mm
Standard accessories	Side handle, sanding pad, sanding paper and wrench



BELT SANDERS

Specifications

999043

Belt size	76 x 533mm
Input power	1,020W
No load speed	250 – 450 (m/min.)
Weight	4.3kg
Length	318mm
Standard accessories	Dust bag and sanding belt



- Variable speed by dial and large trigger to suit multiple sanding applications
- Sanding position visible through transparent cover
- Soft grip handle and sub handle for increased user comfort
- Excellent dust collection with standard dust bag for user safety
- Suitable for close edge work because of design

SB8V2 75mm Belt Sander 06081612



Specifications

999043

Belt size	100 x 610mm
Input power	1,020W
No load speed	240 – 420 (m/min.)
Weight	5.2kg
Length	363mm
Standard accessories	Dust bag and sanding belt



- Variable speed by dial and large trigger to suit multiple sanding applications
- Sanding position visible through transparent cover
- Soft grip handle and sub handle for increased user comfort
- Excellent dust collection with standard dust bag for user safety
- Suitable for close edge work because of design

SB10V2(H1) 100mm Belt Sander 06081719



CORDELESS

PNEUMATIC

DRILLING

ROTARY & DEMOLITION

FASTENING

GRINDING & CUTTING

POLISHING / SANDING

SAWING

PLANING / ROUTING

AIR DISPLACEMENT

ENGINE

ACCESSORIES